

From: john.smelko@cabotog.com
Sent: 4/16/2012 7:30:19 AM

To: "Richard Rupert/R3/USEPA/US" <Rupert.Richard@epamail.epa.gov>
CC:
Subject: RE: Ex. 6 - Personal Privacy

Rupert,

I am not aware that Cabot had ever re-developed the Ex. 6 - Personal Privacy water supply well.

Hope you had a good weekend.

John

John Smelko
North Region Manager, Environmental and Regulatory Compliance
Cabot Oil & Gas Corporation
Five Penn Center West, Suite 401
Pittsburgh, PA 15276
412-249-3854 (Office)
412-613-7642 (Cell)
John.Smelko@cabotog.com

From: Richard Rupert [mailto:Rupert.Richard@epamail.epa.gov]
Sent: Sunday, April 15, 2012 10:00 AM
To: John Smelko
Subject: Ex. 6 - Personal Privacy well

Hi John,

I have been looking through the data and noticed a significant drop in the pH in August 2010 at the Ex. 6 - Personal Privacy well.

I believe you all mentioned some kind of rehabilitation or remediation of the Ex. 6 - Personal Privacy water supply well was conducted at some point. Was this the date?

thanks

Rich

Richard Rupert,
On-Scene Coordinator
U.S. EPA
1650 Arch Street - 3HS31
Philadelphia, PA 19103
(215) 814-3463 - office
215 514-8773 - mobile
rupert.richard@epa.gov